

# Delhi Pharmaceutical Sciences & Research University

Govt. of NCT of Delhi, Sector 3, Pushp Vihar,  
New Delhi 110 017

10/753/Purchase/DPSRU/2018

17.07.2018

## CORRIGENDUM


**Subject:** Corrigendum in respect of Tender ID No. 2018\_DPSRU\_154401\_1  
Dated 06.07.2018

It has been brought to the notice of undersigned that some typographical error is pointed out in the Tender ID No. 2018\_DPSRU\_154401\_1 Dated 06.07.2018 above mentioned Tender ID.

The following corrections are hereby conveyed for considerations of aspirant bidders, as per details here under

1. Page No – 13, 5<sup>th</sup> Line “ Time Action™” may please be read as **Time action**
2. Page No – 13, 8<sup>th</sup> Line “Standard Accessories Suppled “may please be read as **“Standard Accessories Supplied”**
3. Page No – 13, 10<sup>th</sup> Line ” 087 Nos” please may be read as **“08 Nos”**
4. Page No – 13, 10<sup>th</sup> Line ” Train less” be uploaded may please be read as **“Stainless”**
5. Page No – 13, In Additional accessories 26<sup>th</sup> Line ”Sinker 505” Please may please be read as **“Sinker 5.5”**

**OTHER CONTENTS OF THE TENDER DOCUMENTS WILL REMAIN UNCHANGED**

  
**Registrar,**  
DPSRU, M.B. Road,  
Sector-3, Pushp vihar,  
New Delhi -110017