



Bid Number: GEM/2021/B/1504612

Dated: 08-10-2021

Bid Document

Bid Details	
Bid End Date/Time	29-10-2021 15:00:00
Bid Opening Date/Time	29-10-2021 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	65 (Days)
Ministry/State Name	Delhi
Department Name	Training And Technical Education Department Delhi
Organisation Name	N/a
Office Name	Delhi Pharmaceutical Sciences And Research University
Total Quantity	2
Item Category	Rotary Evaporator , Online Ups-IS:9000
Minimum Average Annual Turnover of the Bidder	5 Lakh (s)
Years of Past Experience required	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Online Ups-IS:9000
Time allowed for Technical Clarifications during technical evaluation	5 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00

Duration of ePBG required (Months).

14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Registrar

Delhi Pharmaceutical Sciences And Research University, Training and Technical Education Department Delhi,
N/A,
(Registrar, Dipsru)

Splitting

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference

No

MII Purchase Preference

MII Purchase Preference

No

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Rotary Evaporator (1 pieces)

Brand Type

Registered Brand

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	Display size	7.0
	Display type	LCD with Colour Graphic Display
Technical Specifications	Control Accuracy	+/-1 degree celsius
	Heating Bath material	Stainless Steel AISI 316L
	Heating Bath Capacity	5.0
	Timer	Yes
	Cooling Surface,cm2	2200
	Vaccum Controller Integrated	Yes
	Heating Bath Controller	Digital
	Lift	Motor
	Rotation Speed,rpm	10-280
	Vapour Display Temperature Provided	Yes
Additional Parameters	Accessories	Vertical Glassware, Diagonal Glassware, Heating Bath, Evaporating Flask, Receiving Flask, Foam Brake, Connector, Vapour tube, Distilling Spider, Protective cover for heating bath, Refill valve, Coolant valve, Vacuum seal
	Features	Smooth Start, Gradient distillation, Built-in vacuum controller, Solvents library, Vapor temperature, Auto distillation, Low Noise, USB Connector, Chemical Resistance, Overheating protection, Compatible with all range of glassware, Highly resistant and particularly durable PTFE vacuum seals, flashing and the display of the residual heat warn of the risk of burns greater than 50 degree Celsius, ground-free condenser design with grease free, Stand with clamp to support condenser
Warranty	Warranty	3.0

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mahaveer Dhobi	110017,SEC-III PUSHP VIHAR, M B ROAD	1	90

Online Ups-IS:9000 (1 pieces)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	Rating in KVA (KVA)	3.0 KVA
	Technology	IGBT-PWM with inbuilt isolation transformer
	Input Power	single phase 160V - 260V sinewave,50Hz
	Output power	Single phase 230V +/-1% sinewave 50 Hz
	Backup time (Minutes)	30
	Minimum VAH (VAH)	2400
	Warranty for UPS (Years)	1
	Movable trolley for Batteries	Without trolley but with rack
	Warranty for battery	1
	Degree of Protection	IP20
	Cabling 5 meters for input and out put	Without
	Paralleling kit for synchronising	Without
Constructional	Type of Battery	SMF-VRLA conforming to JISC:8702(Pt.I,II&III)
Functional	20% Overload limit for minimum 10 minutes	Yes
	Overall Efficiency (%)	>/=90%
	50% Overload limit for minimum 1 minutes	Yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mahaveer Dhobi	110017,SEC-III PUSHP VIHAR, M B ROAD	1	90

Special terms and conditions-Version:1 effective from 04-05-2020 for category Online Ups-IS:9000

- Calculation of Minimum VAH based on Back up time
Minimum VAH requirements would be calculated on the basis of following:
(VAH Calculation: Battery Voltage x Battery Ah x No. of Batteries = VAH)

UPS Rating	15 Minutes	30 Minutes	60 Minutes	90 Minutes	120 Minutes	180 Minutes	240 Minutes
1 KVA	400 VAH	800 VAH	1600 VAH	2400 VAH	3200 VAH	4800 VAH	6400 VAH
2 KVA	800 VAH	1600 VAH	3200 VAH	4800 VAH	6400 VAH	9600 VAH	12800 VAH
3 KVA	1200 VAH	2400 VAH	4800 VAH	7200VAH	9600 VAH	14400 VAH	19200 VAH
5 KVA	2000 VAH	4000 VAH	8000 VAH	12000 VAH	16000 VAH	24000 VAH	32000 VAH
6 KVA	2400 VAH	4800 VAH	9600 VAH	14400 VAH	19200 VAH	28800 VAH	38400 VAH
7.5 KVA	3000 VAH	6000 VAH	12000 VAH	18000 VAH	24000 VAH	36000 VAH	48000 VAH
10 KVA	4000 VAH	8000 VAH	16000 VAH	24000 VAH	32000 VAH	48000 VAH	64000 VAH
15 KVA	6000 VAH	12000 VAH	24000 VAH	36000 VAH	48000 VAH	72000 VAH	96000 VAH
20 KVA	8000 VAH	16000 VAH	32000 VAH	48000 VAH	64000 VAH	96000 VAH	128000 VAH
30 KVA	12000 VAH	24000 VAH	48000 VAH	72000 VAH	96000 VAH	144000 VAH	192000 VAH
40 KVA	16000 VAH	32000 VAH	64000 VAH	96000 VAH	128000 VAH	192000 VAH	256000 VAH
60 KVA	24000 VAH	48000 VAH	96000 VAH	144000 VAH	192000 VAH	288000 VAH	384000 VAH
80 KVA	32000 VAH	64000 VAH	128000 VAH	192000 VAH	256000 VAH	384000 VAH	512000 VAH
100 KVA	40000 VAH	80000 VAH	160000 VAH	240000 VAH	320000 VAH	480000 VAH	640000 VAH

Buyer Added Bid Specific Additional Terms and Conditions

- Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.
- Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
- Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
- Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
- Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
- IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of Registrar, DPSRU A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.
- Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the

relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

10. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST.

Applicable Concessional rate of GST : 5%

Notification No.and date : TU/V/RG-CDE(1264)/2018 dated 24/10/2018

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---